Certificate of Accreditation



Enquin Environmental Limited

Inspection Body No. 0265

is accredited as a Type C body in accordance with International Standard ISO/IEC 17020:2012 - Conformity assessment - Requirements for the operation of various types of bodies performing inspection

This accreditation demonstrates technical competence for a defined scope specified in the schedule to this certificate, and the operation of a management system (refer joint ISO-ILAC-IAF Communiqué dated September 2013). The schedule to this certificate is an essential accreditation document and from time to time may be revised and reissued.

The most recent issue of the schedule of accreditation, which bears the same accreditation number as this certificate, is available from www.ukas.com.

This accreditation is subject to continuing conformity with United Kingdom Accreditation Service requirements.

Matt Gantley, Chief Executive Officer United Kingdom Accreditation Service

Initial Accreditation: November 18, 2003 Certificate Issued: December 9, 2019







Scan QR Code to verify

Schedule of Accreditation

issued by

United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK



0265

Type C Inspection Body

Accredited to ISO/IEC 17020:2012

Enquin Environmental Limited

Issue No: 012 Issue date: 22 January 2018

1 Ringside Business Centre Contact: Ben Holderness
Heol Y Rhosog Tel: +44 (0)29 2053 5090

Wentloog Fax: +44 (0)29 2077 8633
Cardiff E-Mail: bholderness@enquin.co.uk

CF3 2EW Website: www.enquin.co.uk

Inspection performed at/from the above address only

DETAIL OF ACCREDITATION

DETAIL OF AGOREDITATION				
Field of Inspection	Type and Range of Inspection	Methods and Procedures		
Surveying for Asbestos in Premises		Health and Safety Executive Asbestos: The Survey Guide (HSG 264, 2012)		
	Management survey: (domestic, commercial & industrial premises)	Documented In-House procedure as per Quality Control Manual, Section 4		
	Refurbishment and demolition survey: (domestic, commercial & industrial premises)	Documented In-House procedure as per Quality Control Manual, Section 4		
	Priority assessment: (domestic, commercial & industrial premises)	Documented In-House procedure as per Quality Control Manual, Section 4 (based on guidance documented in Health and Safety Executive guides HSG 264 (2012) and Appx. 3 of HSG 227 (2004))		
	Reinspection of identified or suspected asbestos containing material in surveyed premises	Documented In-House Method as per Quality Control Manual, Section 4(based on guidance documented in Appendix 5 of HSG 227 (2004)		
END				

Assessment Manager: MW Page 1 of 1

Certificate of Accreditation



Enquin Environmental Limited

Testing Laboratory No. 2604

Is accredited in accordance with International Standard ISO/IEC 17025:2017 – General Requirements for the competence of testing and calibration laboratories.

This accreditation demonstrates technical competence for a defined scope specified in the schedule to this certificate, and the operation of a management system (refer joint ISO-ILAC-IAF Communiqué dated April 2017). The schedule to this certificate is an essential accreditation document and from time to time may be revised and reissued.

The most recent issue of the schedule of accreditation, which bears the same accreditation number as this certificate, is available from www.ukas.com.

This accreditation is subject to continuing conformity with United Kingdom Accreditation Service requirements.

Matt Gantley, Chief Executive Officer United Kingdom Accreditation Service

Initial Accreditation: November 3, 2003 Certificate Issued: December 9, 2019







Scan QR Code to verify

Schedule of Accreditation

issued by

United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK



Enquin Environmental Limited

Issue No: 015 Issue date: 01 February 2022

1 Ringside Business Centre Contact: Ben Holderness Heol Y Rhosog Tel: +44 (0)29 2053 5090

Wentloog Fax: +44 (0)29 2077 8633

Cardiff E-Mail: bholderness@enquin.co.uk

CF3 2EW Website: www.enquin.co.uk

Accredited to ISO/IEC 17025:2017

Testing performed by the Organisation at the locations specified below

Locations covered by the organisation and their relevant activities

Laboratory locations:

Location details		Activity	Location code
Address 1 Ringside Business Centre	Local contact Ben Holderness	Health and Hygiene	А
Heol Y Rhosog Wentloog	Tel: +44 (0)29 2053 5090 Fax: +44 (0)29 2077 8633	Head Office	
Cardiff CF3 2EW	Email: asbestos@enquin.co.uk Website: www.enquin.co.uk	Asbestos – All Support Functions	

Site activities performed away from the locations listed above:

Location details	Activity	Location code
Client Premises	Health and Hygiene	В
Mobile Testing Laboratories	Health and Hygiene	С

Case Manager: GS Page 1 of 2



2604 Accredited to ISO/IEC 17025:2017

Schedule of Accreditation issued by

United Kingdom Accreditation Service 2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Enquin Environmental Limited

Issue No: 015 Issue date: 01 February 2022

Testing performed by the Organisation at the locations specified

DETAIL OF ACCREDITATION

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
	Health and Hygiene	Health and Safety Executive - Asbestos: The Analysts' Guide (HSG 248) – 2021	
ASBESTOS FIBRES IN AIR	Sampling of air for fibre counting	Documented In-House Method in the Procedures Manual, TP02 (Section 2) based on HSG 248	A, B
	Fibre counting	Documented In-House Method in the Procedures Manual, TP02 (Section 2), Membrane Filter Method using Phase Contrast Microscopy (PCM) based on HSG 248	A, B, C
	4 Stage Clearance Process	Documented In-House Method in the Procedures Manual, TP02 (Section 2), Membrane Filter Method using Phase Contrast Microscopy (PCM) based on HSG 248	В
ASBESTOS IN BULK MATERIALS including materials and products suspected of containing asbestos	Sampling of bulk materials for subsequent identification of asbestos	Documented In-House Method in the Procedures Manual, TP04 (Section 4) based on HSG 248	В
	Identification of: Amosite Chrysotile Crocidolite Fibrous Actinolite Fibrous Anthophyllite Fibrous Tremolite	Documented In-House Method in the Procedures Manual, TP03 (Section 3) using stereo- microscopy, polarised light optical microscopy and dispersion staining based on HSG 248	A
	END	ı	

END

Case Manager: GS Page 2 of 2







RICE SCHEME

Regular Interlaboratory Counting Exchanges

CLASSIFICATION OF LABORATORY PERFORMANCE

Laboratory No.: 1275

Period: 10/03/2023 TO 08/03/2024

Rounds: 122, 123, 124, 125

Laboratory: ENQUIN ENVIRONMENTAL Ltd.

1 Ringside Business Centre

Heol-y-Rhosog

Wentloog Cardiff CF3 2EW

UK

Classification : Category 1 - GOOD

Notes

- 1 The RICE scheme test proficiency in the use of the optical microscopy method of counting asbestos fibres as described in the Health and Safety Executive publication HSG248
- 2 The classifications will be updated after each subsequent round i.e. at 3 4 month intervals
- 3 Laboratories which have completed fewer than four rounds are normally classified as AWAITING CLASSIFICATION.
- 4 On completion of four rounds laboratories are classified with the performance category (CATEGORY 1, CATEGORY 2 or CATEGORY 3). Category 1 represents GOOD performance, Category 2 is ACCEPTABLE (but needs improvement), while Category 3 is UNSATISFACTORY performance.

Melanie Clunas

RICE Scheme Co-Ordinator Proficiency Testing Team



HSE, Science & Research Centre Harpur Hill, Buxton, Derbyshire SK17 9JN - UK

Report No.: 11795 \ 4355

Page 1 of 2

FTPT F0936 ISSUE 3



SUMMARY OF LABORATORY RESULTS: ROUNDS 122, 123, 124, 125

Laboratory: 1275

ENQUIN ENVIRONMENTAL Ltd.

CF3 2EW, UK

ROUNDS			NUMBER AND PERCENTAGE OF COUNTS IN PERFORMANCE BANDS					
ROUND	GROUP	ВАТСН		DEADLINE DATE	BAND A	BAND A AND BAND B	BAND -C	BAND +C
125	4		4 00 May	In: 2024	11	11	0	0
125	5 4 4	08 Mar 2024	100%	100%	0%	0%		
124	20	20	10 Nov 2023	Jan. 2022	9	9	0	0
124	24 29 29	29		100%	100%	0%	0%	
122	123 31 31	21	4 00.7	2022	11	11	0	0
123		31	23 Jun 2023		100%	100%	0%	0%
422	34	24	34 10 Mar 2023		10	10	0	0
122	34	34			100%	100%	0%	0%
Four-round average percentages 100.0% 100.0%		0.0%	0.0%					
					C	ategory 1 - GOO	D	
Categories from previous rounds CATEGORY		125	124	123	122			
		1	1	1	1			

CALCULATION OF CATEGORY

In routine cases, if the four-round average percentage of counts in Band A is 75% or more, the Category is 1; failing that, if the average of counts in Bands A and B combined is 75% or more, the Category is 2; otherwise the Category is 3.

The Category may be subjected to review (e.g. if one of the four rounds was missed or if an extra batch of samples was evaluated

Full details on the assessment of categories, and on the formal performance classifications, are given in the document "RICE Information for Participants"



HSE, Science & Research Centre Harpur Hill, Buxton, Derbyshire SK17 9JN - UK



Asbestos in Materials Individual Results: Round 083: 083 AIMS R83

For Laboratory Number: 1275 ENQUIN ENVIRONMENTAL Ltd.

Report Issued 29/10/2024 11:59:20


Report No. 083/160/18526/ 38092

Your Performance Score 0

Your Performance Classification Good

Your Score This Round 0

Sample	Your Result	Assigned Result	Sample Score
1	Crocidolite , Amosite, Chrysotile	Crocidolite , Amosite, Chrysotile	0
2	Anthophyllite	Anthophyllite	0
3	No Asbestos	No Asbestos	0
4	No Asbestos	No Asbestos	0



This report is confidential to your laboratory and can only be accessed by using your unique username and password. Once printed, the proficiency testing provider can not be held responsible for its confidentiality.

MSE
Melanie Clunas
AIMS Scheme Co-Ordinator
Fibres Team
Final Report



HSE, Science Division Harpur Hill, Buxton, Derbyshire, SK17 9JN - UK



Certificate of Membership

This certificate is awarded to:

Enquin Environmental Ltd

Category of member

Asbestos Awareness Non-Licensed Work with Asbestos Duty to Manage Asbestos



Membership commenced

Friday 17th April 2009

(Expiry Thursday 17th April 2025)

Markham Vale Environment Centre

Markham Lane Markham Vale Chesterfield Derbyshire S44 5HY

T 01246 824437

E info@ukata.org.uk

W www.ukata.org.uk

ICO Reg. No. ICO Z125 3123

To check the current status of this member please scan this QR code or visit www.ukata.org.uk to browse the Member Directory.



UKATA Chairman

Chief Operating Officer



CERTIFICATE OF MEMBERSHIP

Enquin Environmental Ltd

Registration No: 53832

Date Issued: 04 March 2024

This certifies that the member named above has met pre-qualification requirements appropriate to public and private sector procurement.

A supplier's verification status is dynamic, this certificate proves the Supplier was verified to the named level on the day stated only. For the current status please check the Constructionline platform.









Certificate of Accreditation

This is to certify that

Enquin Environmental Ltd

has achieved SafeContractor accreditation

Date: 5th May 2023

This certificate is valid until: 6th May 2024

Certificate number: QQ4466

Signed:

Alyn Franklin
Alcumus CEO









Alcumus SafeContractor Ltd is a UKAS accredited Type C Inspection body under ISO17020:2012 covering the SSIP Core Criteria element of the SafeContractor Assessment Standard.



Schedule to SafeContractor certificate

This SafeContractor certificate is awarded for the following services:

Work Categories:

Asbestos Air Sampling: Asbestos Air Sampling

Asbestos Bulk Sampling (Laboratory Work): Asbestos Bulk Sampling

Asbestos Surveying & Sampling: Asbestos Surveying

Industry Roles:

Consultant

Category Related Activities:

Air Sampling, Bulk Sampling (laboratory analysis), Inhalation of Dust, Fibres and Fumes, Ladders / Step Ladders, MEWPs, Surveying, Tower Scaffolds, Working at Height

Full validation of this certificate should be made via the SSIP Portal www.ssipportal.org.uk

SafeContractor accreditation has been achieved following an assessment of the contractor's health & safety documentation, and compared against the **SafeContractor** Charter Standards, which set out the health & safety standards required to achieve accreditation.

For more information on the Charter Standards, the **SafeContractor** scheme or for confirmation of this contractor's accreditation please telephone **SafeContractor** on 029 2026 6749.

www.safecontractor.com www.alcumus.com







Certificate of Verification

This is to confirm that

Enquin Environmental Ltd

has completed the Sustainability question set covering the following topics:

Finance
 Environment
 Modern Slavery
 References
 Quality
 Anti-bribery
 Building
 Information
 Modelling

Registration number: QQ4466

Expiry date: 06/05/2024

Signed: Alyn Faulli

Alyn Franklin Alcumus CEO

Please note

This certificate is only valid with a SafeContractor health and safety accreditation certificate. The SafePQQ product is aligned to the PAS91 Question set.

This certificate is the property of Alcumus SafeContractor and must be returned on request.

Alcumus SafeContractor, Axys House, Parc Nantgarw, Cardiff, CF15 7QX





Certificate of Registration

This is to certify that

ENQUIN ENVIRONMENTAL LIMITED

has successfully achieved the Achilles UVDB registration, having completed an online pre-qualification questionnaire.

AchillesID: 00018900 Start date of membership: 23 February 2024 Expiration Date: 22 February 2025



Dr. Paul Stanley Chief Executive Officer Achilles



Product and Service Code Summary

Supplier Name: Enquin Environmental Limited

AchillesID: 00018900

2.2.7.0 Health & Safety Consultancy
2.5.6.0 Hazardous Material Handling/Treatment/Disposal Services (incl. Asbestos)
2.6.7.0 Training & Education Services – Functional







Contractor ID: 1946608

Certificate of Accreditation

This is to certify that

Enquin Environmental Limited

has been accepted as a Bronze level member of the Salus Certification Scheme

Date: 21/10/24

Expiry Date: 21/10/25

Philip Salaman Managing Director



This Certificate is Awarded to:

Enquin Environmental Limited

CDM Scope: SSIP Approved

by Avetta

in Accordance with SSIP Forum Deemed to Satisfy Agreement

SSIP Originator Scheme: Alcumus SafeContractor

Certificate Issued: 13/May/2024 Expiry Date: 13/May/2025 Certificate Number: 139539

Authorised By: Arshad Matin

To check the validity of this certificate please contact Avetta directly on 01628 450400 or visit the SSIP Portal www.ssipportal.org.uk





CERTIFICATE **OF MEMBERSHIP**

Enquin Environmental Ltd

53832 Registration No: ...

04 March 2024 Date Issued:

This certifies that the member named is part of the Builder's Profile Community.

A supplier's status is dynamic. This proves the supplier has completed the Community Goal question set on the day stated only. For further details, please check the platform.



Builder's Profile (UK) Ltd Basepoint Business Centre, Unit 32

Jubilee Close, Weymouth, Dorset, DT4 7BS





CERTIFICATE

The Compliance Chain member identified above has met all of the pre-qualification compliance levels to officially certify them as a **Bronze Compliance Chain Member**.

Company Name	Registration Number	
Enquin Environmental Limited	CC 00570	
Download Date	Expiry Date	
05/04/2024	06/02/2025	

Further Details can be found upon the Compliance Chain platform www.compliancechain.com

Adam Cochrane - Head of Operations

Adam Cochrane

