Certificate of Accreditation



Enquin Environmental Limited

Inspection Body No. 0265

is accredited as a Type C body in accordance with International Standard ISO/IEC 17020:2012 - Conformity assessment – Requirements for the operation of various types of bodies performing inspection

This accreditation demonstrates technical competence for a defined scope specified in the schedule to this certificate, and the operation of a management system (refer joint ISO-ILAC-IAF Communiqué dated September 2013). The schedule to this certificate is an essential accreditation document and from time to time may be revised and reissued.

The most recent issue of the schedule of accreditation, which bears the same accreditation number as this certificate, is available from www.ukas.com.

This accreditation is subject to continuing conformity with United Kingdom Accreditation Service requirements.

Matt Gantley, Chief Executive Officer United Kingdom Accreditation Service

Initial Accreditation: November 18, 2003 Certificate Issued: December 9, 2019



Scan QR Code to verify


UKAS is appointed as the sole national accreditation body for the UK by The Accreditation Regulations 2009 (SI No 3155/2009) and operates under a Memorandum of Understanding (MoU) with the Department for Business, Energy and Industrial Strategy (BEIS).

Schedule of Accreditation

issued by

United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK



Type and Range of Inspection	Methods and Procedures
	Health and Safety Executive Asbestos: The Survey Guide (HSG 264, 2012)
Management survey: (domestic, commercial & industrial premises)	Documented In-House procedure as per Quality Control Manual, Section 4
Refurbishment and demolition survey: (domestic, commercial & industrial premises)	Documented In-House procedure as per Quality Control Manual, Section 4
Priority assessment: (domestic, commercial & industrial premises)	Documented In-House procedure as per Quality Control Manual, Section 4 (based on guidance documented in Health and Safety Executive guides HSG 264 (2012) and Appx. 3 of HSG 227 (2004))
Reinspection of identified or suspected asbestos containing material in surveyed premises	Documented In-House Method as per Quality Control Manual, Section 4(based on guidance documented in Appendix 5 of HSG 227 (2004)
END	
	Management survey: (domestic, commercial & industrial premises) Refurbishment and demolition survey: (domestic, commercial & industrial premises) Priority assessment: (domestic, commercial & industrial premises) Reinspection of identified or suspected asbestos containing material in surveyed premises

DETAIL OF ACCREDITATION

Certificate of Accreditation



Enquin Environmental Limited

Testing Laboratory No. 2604

Is accredited in accordance with International Standard ISO/IEC 17025:2017 – General Requirements for the competence of testing and calibration laboratories.

This accreditation demonstrates technical competence for a defined scope specified in the schedule to this certificate, and the operation of a management system (refer joint ISO-ILAC-IAF Communiqué dated April 2017). The schedule to this certificate is an essential accreditation document and from time to time may be revised and reissued.

The most recent issue of the schedule of accreditation, which bears the same accreditation number as this certificate, is available from www.ukas.com.

This accreditation is subject to continuing conformity with United Kingdom Accreditation Service requirements.

Matt Gantley, Chief Executive Officer United Kingdom Accreditation Service

Initial Accreditation: November 3, 2003 Certificate Issued: December 9, 2019




Scan QR Code to verify

Schedule of Accreditation

issued by

United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK



Locations covered by the organisation and their relevant activities

Laboratory locations:

Location details		Activity	Location code
Address	Local contact	Health and Hygiene	А
1 Ringside Business Centre Heol Y Rhosog	Ben Holderness Tel: +44 (0)29 2053 5090	Head Office	
Wentloog Cardiff CF3 2EW	Fax: +44 (0)29 2077 8633 Email: asbestos@enquin.co.uk Website: www.enquin.co.uk	Asbestos – All Support Functions	

Site activities performed away from the locations listed above:

Location details	Activity	Location code
Client Premises	Health and Hygiene	В
Mobile Testing Laboratories	Health and Hygiene	С

	Schedule of Accreditation issued by United Kingdom Accreditation Service 2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK
	Enquin Environmental Limited
2604 Accredited to ISO/IEC 17025:2017	Issue No: 015 Issue date: 01 February 2022
	Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
	Health and Hygiene	Health and Safety Executive - Asbestos: The Analysts' Guide (HSG 248) – 2021	
ASBESTOS FIBRES IN AIR	Sampling of air for fibre counting	Documented In-House Method in the Procedures Manual, TP02 (Section 2) based on HSG 248	А, В
	Fibre counting	Documented In-House Method in the Procedures Manual, TP02 (Section 2), Membrane Filter Method using Phase Contrast Microscopy (PCM) based on HSG 248	A, B, C
	4 Stage Clearance Process	Documented In-House Method in the Procedures Manual, TP02 (Section 2), Membrane Filter Method using Phase Contrast Microscopy (PCM) based on HSG 248	В
ASBESTOS IN BULK MATERIALS including materials and products suspected of containing asbestos	Sampling of bulk materials for subsequent identification of asbestos	Documented In-House Method in the Procedures Manual, TP04 (Section 4) based on HSG 248	В
	Identification of: Amosite Chrysotile Crocidolite Fibrous Actinolite Fibrous Anthophyllite Fibrous Tremolite	Documented In-House Method in the Procedures Manual, TP03 (Section 3) using stereo- microscopy, polarised light optical microscopy and dispersion staining based on HSG 248	A
	END	1	1

DETAIL OF ACCREDITATION



RICE SCHEME

Regular **I**nterlaboratory **C**ounting **E**xchanges

CLASSIFICATION OF LABORATORY PERFORMANCE

Laboratory No. :	1275		
Period :	08/03/2024	то	07/03/2025
Rounds :	125, 126, 127, 12	8	
Laboratory :	ENQUIN ENVIRON 1 Ringside Busine Heol-y-Rhosog Wentloog Cardiff CF3 2EW UK		
Classification :	Category 1 - GOO	D	

<u>Notes</u>

- 1 The RICE scheme test proficiency in the use of the optical microscopy method of counting asbestos fibres as described in the Health and Safety Executive publication HSG248
- 2 The classifications will be updated after each subsequent round i.e. at 3 4 month intervals
- 3 Laboratories which have completed fewer than four rounds are normally classified as AWAITING CLASSIFICATION.
- 4 On completion of four rounds laboratories are classified with the performance category (CATEGORY 1, CATEGORY 2 or CATEGORY 3). Category 1 represents GOOD performance, Category 2 is ACCEPTABLE (but needs improvement), while Category 3 is UNSATISFACTORY performance.

Melanie Clunas

RICE Scheme Co-Ordinator Fibres & Minerals Team FTPT F0936 ISSUE 4



HSE, Science Division Harpur Hill, Buxton, Derbyshire SK17 9JN - UK Report No. : 12451 \ 5011

Page 1 of 2



SUMMARY OF LABORATORY RESULTS : ROUNDS

125, 126, 127, 128

Laboratory : 1275 ENQUIN ENVIRONMENTAL Ltd. CF3 2EW, UK

ROUNDS					NUMBER AND PERCENTAGE OF COUNTS IN PERFORMANCE BANDS					
ROUND	GROUP	BATCH	ROUND DEA DATE		BAND A	BAND A AND BAND B	BAND -C	BAND +C		
100	9	9	07 Mar 3	2025	15	15	0	0		
128	9	9	U7 Mar .	2025	100%	100%	0%	0%		
127	24	24	08 Nov 2024		17	17	0	0		
127	24	24	08 1107 /	2024	100%	100%	0%	0%		
126	33	33	33 21 Jun 20		14	14	0	0		
120	33	33		2024	100%	100%	0%	0%		
125	4	4	08 Mar 2	2024	11	11	0	0		
125	4	4		2024	100%	100%	0%	0%		
Fo	our-round	average p	ercentages	5	100.0%	100.0%	0.0%	0.0%		
					C	Category 1 - GOO	D			
ROUND					128	127	126	125		
Categories from previous rounds CATEGORY				TEGORY	1	1	1	1		

CALCULATION OF CATEGORY

In routine cases, if the four-round average percentage of counts in Band A is 75% or more, the Category is 1; failing that, if the average of counts in Bands A and B combined is 75% or more, the Category is 2; otherwise the Category is 3.

The Category may be subjected to review (e.g. if one of the four rounds was missed or if an extra batch of samples was evaluated

Full details on the assessment of categories, and on the formal performance classifications, are given in the document "RICE Information for Participants"



HSE, Science Division Harpur Hill, Buxton, Derbyshire SK17 9JN - UK

Page 2 of 2

ur Performance Score 0 ur Performance Classification 6od ur Score This Round 0 Sample Your Result Assigned Result Sample Score 1 Crocidolite 0 0 2 Amosite Amosite 0 3 Chrysotile Chrysotile 0 4 No Asbestos No Asbestos 0	03/2025, 16	5:05				HSE Prot	iciency Test	ing Scheme	es			
r Laboratory Number : L275 ENQUIN ENVIRONMENTAL Ltd. port Issued 04/03/2025 08:47:07 port No. 084/160/18916/38481 ur Performance Score 0 ur Performance Classification Good ur Score This Round 0 Sample Your Result Assigned Result Sample Score 1 Crocidolite 0 0 Sample Your Result Assigned Result Sample Score 1 Crocidolite 0 0 0 0 Sample Your Result Assigned Result Sample Score 0 2 Arnosite 0 <th></th> <th></th> <th>SE</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>S</th> <th>lumlund U₽</th> <th>KAS ROFICIENCY 5254</th> <th></th>			SE						S	lumlund U₽	KAS ROFICIENCY 5254	
port Issued 04/03/2025 08:47:07 port No. 084/160/18916/38481 ur Performance Score 0 ur Performance Classification Good ur Score This Round 0 Sample Your Result Assigned Result Sample Score 1 Crocidolite 0 2 Amosite 0 3 Chrysotile Chrysotile 0 4 No Asbestos 0 0	Asbestos	s in M	aterials Individua	al Results	s : Round 084	4 : 084 A	IMS R84					
port No. 084/160/18916/38481 ur Performance Score 0 tre Performance Classification Good tre Score This Round 0 Sample Your Result Assigned Result Sample Score 1 Crocidolite 0 0 Sample Your Result Assigned Result Sample Score 2 Amosite 0 0 3 Chrysotile Chrysotile 0 4 No Asbestos 0 0 9 0 0 0 0 9 0 0 0 0 0	For Labora	atory N	umber :	1275 EN	QUIN ENVIRON	NMENTAL I	_td.					
ur Performance Score 0 ur Performance Classification God ur Score This Round 0 Sample Your Result Assigned Result Sample Score 1 Crocidolite Crocidolite 0 2 Arnosite Amosite 0 3 Chrysotile Chrysotile 0 4 No Asbestos 0 0	Report Iss	ued		04/03/202	25 08:47:07							
ur Performance Classification God ur Score This Round 0 <u>Sample Vour Result Assigned Result Sample Score</u> <u>1 Crocidolite Crocidolite 0</u> <u>2 Amosite Amosite 0</u> <u>3 Chrysotile Chrysotile 0</u> <u>4 No Asbestos 0</u> <u>4 No Asbestos 0</u> <u>4 No Asbestos 0</u> <u>4 No Asbestos 0</u> <u>5 Output 0 Ou</u>	Report No			084/160/2	18916/ 38481							
The second secon	Your Perfo	ormanc	e Score	0								
Sample Your Result Assigned Result Sample Score 1 Crocidolite 0 2 Amosite 0 3 Chrysotile Chrysotile 0 4 No Asbestos No Asbestos 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Your Perfo	rmanc	e Classification	Good								
1 Crocidolite Crocidolite 0 2 Amosite Amosite 0 3 Chrysotile Chrysotile 0 4 No Asbestos 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 <t< td=""><td>Your Score</td><td>e This</td><td>Round</td><td>0</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>	Your Score	e This	Round	0								
1 Crocidolite Crocidolite 0 2 Amosite Amosite 0 3 Chrysotile Chrysotile 0 4 No Asbestos 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>												
2 Amosite Amosite 0 3 Chrysotile Chrysotile 0 4 No Asbestos 0	Samp	le									Sample Score	
3 Chrysotile Chrysotile 0 4 No Asbestos 0 9 0	1		Cro									
4 No Asbestos 0 4 No Asbestos 0	2		A									
4 No Asbestos 0 4 No Asbestos 0	3		Ch	irvsotile			Chi	vsotile			0	
this report is confidential to your laboratory and can only be accessed by using your unique username and password. Once printed e proficiency testing provider can not be held responsible for its confidentiality.				-							0	
HSE, Science Division	4				5			ASDESLOS)		0	
by a b b c b c c c c c c c c c c		50 -										
by a b b c b c c c c c c c c c c		40-										
elanie Clunas	core											
elanie Clunas	ound Sc	30-										
elanie Clunas	tive Rc	20-										
elanie Clunas	Cumula	10-										
076 077 078 079 080 081 082 083 084 Rounds his report is confidential to your laboratory and can only be accessed by using your unique username and password. Once printed e proficiency testing provider can not be held responsible for its confidentiality. HSE, Science Division	0	0-		•	• •			•	•	•	•	
076 077 078 079 080 081 082 083 084 Rounds his report is confidential to your laboratory and can only be accessed by using your unique username and password. Once printed e proficiency testing provider can not be held responsible for its confidentiality. HSE, Science Division		-10										
nis report is confidential to your laboratory and can only be accessed by using your unique username and password. Once printed e proficiency testing provider can not be held responsible for its confidentiality. elanie Clunas HSE, Science Division			076	077	078 07			81	082	083	084	
e proficiency testing provider can not be held responsible for its confidentiality. elanie Clunas HSE, Science Division												
elanie Clunas HSE, Science Division	This repor the profici	t is coi ency te	nfidential to your lab esting provider can	oratory ar not be hele	nd can only be a d responsible fo	accessed b r its confic	y using yo lentiality.	ur unique	username	and pass	word. Once pri	inted
	-	-			in							
					Ney-				yshire, Sl	K17 9JN - 1	JK	

FIBRES & MINERALS TEAM



naipui II, DUALOII, I c, 31 vy-**ISSUE 6** Page 1 of 1 FTPT F0903

Final Report



Membership Number **MEMB/033**

Certificate of Membership

This certificate is awarded to: **Enquin Environmental Ltd**

Category of member Asbestos Awareness Non-Licensed Work with Asbestos **Duty to Manage Asbestos**

Membership commenced Friday 17th April 2009

(Expiry Thursday 17th April 2025)



UKATA Chairman



Chief Operating Officer

Markham Vale Environment Centre Markham Lane Markham Vale Chesterfield Derbyshire S44 5HY

MEMBIO33

JATA MEMBI

al Just A MEMBIOSS

vironmental

WATA MEMBIO33

т 01246 824437 info@ukata.org.uk E www.ukata.org.uk

ICO Reg. No. ICO Z125 3123

To check the current status of this member please scan this QR code or visit www.ukata.org.uk to browse the Member Directory.





CERTIFICATE OF MEMBERSHIP

Enquin Environmental Ltd

Registration No: 53832

Date Issued: 05 March 2025

This certifies that the member named above has met pre-qualification requirements appropriate to public and private sector procurement.

A supplier's verification status is dynamic, this certificate proves the Supplier was verified to the named level on the day stated only. For the current status please check the Constructionline platform.



Constructionline

PO BOX 6441, Basingstoke, Hampshire, RG21 7FN 0333 300 3066

constructionline.co.uk



Certificate of Accreditation

This is to certify that Enquin Environmental Ltd

has achieved SafeContractor accreditation

Date: 5th May 2023 This certificate is valid until: 6th May 2024 Certificate number: QQ4466

Signed:

Alyn Franklin Alcumus CEO

Alyn Failiti





Alcumus SafeContractor Ltd is a UKAS accredited Type C Inspection body under ISO17020:2012 covering the SSIP Core Criteria element of the SafeContractor Assessment Standard.

Full Validation of this certification should be made via the SSIP Portal https://www.ssipportal.org.uk/



Schedule to SafeContractor certificate

This SafeContractor certificate is awarded for the following services:

Work Categories:

Asbestos Air Sampling: Asbestos Air Sampling Asbestos Bulk Sampling (Laboratory Work): Asbestos Bulk Sampling Asbestos Surveying & Sampling: Asbestos Surveying

Industry Roles:

Consultant

Category Related Activities:

Air Sampling, Bulk Sampling (laboratory analysis), Inhalation of Dust, Fibres and Fumes, Ladders / Step Ladders, MEWPs, Surveying, Tower Scaffolds, Working at Height

Full validation of this certificate should be made via the SSIP Portal www.ssipportal.org.uk

SafeContractor accreditation has been achieved following an assessment of the contractor's health & safety documentation, and compared against the **SafeContractor** Charter Standards, which set out the health & safety standards required to achieve accreditation.

For more information on the Charter Standards, the **SafeContractor** scheme or for confirmation of this contractor's accreditation please telephone **SafeContractor** on 029 2026 6749.

www.safecontractor.com www.alcumus.com

Alcumus SafeContractor Limited is owned by Alcumus Group Limited Alcumus SafeContractor and the Alcumus SafeContractor logo are trademarks belonging to Alcumus Holdings Limited Company registration number: 07618138







Certificate of Verification

This is to confirm that

Enquin Environmental Ltd

has completed the Sustainability question set covering the following topics:

- Finance
- Equality
- Environment
- Quality Management
- Modern Slavery Anti-bribery
- · GDPR
- Right to Work • · References
- Building Information Modelling

Registration number: QQ4466

Expiry date:

06/05/2024

Signed:

alyn Falli

Alyn Franklin Alcumus CEO

Please note

This certificate is only valid with a SafeContractor health and safety accreditation certificate. The SafePQQ product is aligned to the PAS91 Question set. This certificate is the property of Alcumus SafeContractor and must be returned on request. Alcumus SafeContractor, Axys House, Parc Nantgarw, Cardiff, CF15 7QX



T: 029 2026 6749 E: safecontractor@alcumusgroup.com W: www.alcumusgroup.com | www.safecontractor.com



Certificate of Registration

This is to certify that

ENQUIN ENVIRONMENTAL LIMITED

has successfully achieved the Achilles UVDB registration, having completed an online pre-qualification questionnaire.

AchillesID: 00018900

Subscription expiry date: 22 February 2026 Questionnaire last updated: 15 April 2024 Questionnaire expiry date: 15 April 2025

Date certificate generated: 12 February 2025



Dr. Paul Stanley Chief Executive Officer Achilles



Product and Service Code Summary

Supplier Name: Enquin Environmental Limited

AchillesID: 00018900

2.2.7.0 Health & Safety Consultancy

2.5.6.0 Hazardous Material Handling/Treatment/Disposal Services (incl. Asbestos) 2.6.7.0 Training & Education Services – Functional







Contractor ID: 1946608

Certificate of Accreditation

This is to certify that

Enquin Environmental Limited

has been accepted as a Bronze level member of the Salus Certification Scheme

Date:

<mark>21/1</mark>0/24

Expiry Date: 21/10/25

thi Jeller.

Philip Salaman Managing Director

This certificate remains the property of Quidos and is issued subject to terms and conditions. It is maintained and held in force through annual review and verification

Salus Certification is a tradename of Quidos Ltd 01225 667 590 hello@saluscertification.co.uk www.saluscertification.co.uk



This Certificate is Awarded to:

Enquin Environmental Limited

CDM Scope: SSIP Approved

by Avetta

in Accordance with SSIP Forum Deemed to Satisfy Agreement

SSIP Originator Scheme: Alcumus SafeContractor

Certificate Issued: 13/May/2024

Expiry Date: 13/May/2025

Certificate Number: 139539

Authorised By: Arshad Matin

To check the validity of this certificate please contact Avetta directly on 01628 450400 or visit the SSIP Portal www.ssipportal.org.uk



The Safety Schemes in Procurement Competence Forum (SSiP) "acts as an umbrella organisation to facilitate mutual recognition between health and safety pre-qualification schemes wherever it is practicable to do so"



Community

CERTIFICATE OF MEMBERSHIP

Enquin Environmental Ltd

Registration No: 53832

Date Issued: 04 March 2024

This certifies that the member named is part of the Builder's Profile Community.

A supplier's status is dynamic. This proves the supplier has completed the Community Goal question set on the day stated only. For further details, please check the platform.



BUILDER'S PROFILE **Builder's Profile (UK) Ltd** Basepoint Business Centre, Unit 32 Jubilee Close, Weymouth, Dorset, DT4 7BS

> 01305 897 448 buildersprofile.co.uk



CERTIFICATE

The Compliance Chain member identified above has met all of the pre-qualification compliance levels to officially certify them as a **Bronze Compliance Chain Member**.

Company Name

Registration Number

Enquin Environmental Limited

CC 00570

Download Date

Expiry Date

05/04/2024

06/02/2025

Further Details can be found upon the Compliance Chain platform www.compliancechain.com

Adam Cochrane

Adam Cochrane - Head of Operations

